Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. S. Bretscher
C. R. Cantor
P. Chambon
J. Davies
G. A. Gilbert
M. Gottesman
R. Huber
H. E. Huxley
A. Klug
V. Luzzati
M. F. Moody
D. Nathans
C. C. Richardson
P. M. B. Walker
K. Weber
S. M. Weissman

QH301
J73

VOLUME 135
25 November to 25 December 1979

ACADEMIC PRESS
London New York San Francisco

Copyright © 1979, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 135

NUMBER 1, 25 NOVEMBER 1979

HOPKINS, R. and GOODMAN, M. F., Asymmetry in Forming 2-Aminopurine Hydroxymethylcytosine Heteroduplexes; A Model Giving Misincorporation Frequencies and Rounds of DNA Replication from Base-pair Populations *in Vivo* 1

Appendix 19

BLUMENBERG, M. and MAGASANIK, B., A Study in Evolution: The Histidine Utilization Genes of Enteric Bacteria 23

CUSACK, S. and MILLER, A., Determination of the Elastic Constants of Collagen by Brillouin Light Scattering 39

RUEGER, D. C., HUSTON, J. S., DAHL, D. and BIGNAMI, A., Formation of 100 Å Filaments from Purified Glial Fibrillary Acidic Protein *in Vitro* . . 53

KEEGSTRA, W., BAAS, P. D. and JANSZ, H. S., Bacteriophage ϕX174 RF DNA Replication *in Vivo*. A Study by Electron Microscopy 69

PANAYOTATOS, N. and WELLS, R. D., Identification, Cloning and Characterization of Three Late Promoters at 14·6, 14·8 and 15·9% of T7 DNA . . 91

EISENBERG, S. P., YARUS, M. and SOLL, L., The Effect of an *Escherichia coli* Regulatory Mutation on Transfer RNA Structure 111

MITCHELL, A. R., BEAUCHAMP, R. S. and BOSTOCK, C. J., A Study of Sequence Homologies in Four Satellite DNAs of Man 127

KENNY, J. W., FANNING, T. G., LAMBERT, J. M. and TRAUT, R. R., The Subunit Interface of the *Escherichia coli* Ribosome. Crosslinking of 30 S Protein S9 to Proteins of the 50 S Subunit 151

MANLEY, J. L., SHARP, P. A. and GEFTER, M. L., RNA Synthesis in Isolated Nuclei: Identification and Comparison of Adenovirus 2 Encoded Transcripts Synthesized *in Vitro* and *in Vivo*. 171

SCHMID, F. X. and BALDWIN, R. L., Detection of an Early Intermediate in the Folding of Ribonuclease A by Protection of Amide Protons Against Exchange 199

STELLWAGEN, E., Proline Peptide Isomerization and the Reactivation of Denatured Enzymes 217

LABHARDT, A. M. and BALDWIN, R. L., Recombination of S-Peptide with S-Protein during Folding of Ribonuclease S. I. Folding Pathways of the Slow-folding and Fast-folding Classes of Unfolded S-Protein . . . 231

Labhardt, A. M. and Baldwin, R. L., Recombination of S-Peptide with S-Protein during Folding of Ribonuclease S. II. Kinetic Characterization of a Stable Folding Intermediate Shown by S-Protein at pH 1·7 . . 245

Wollenzien, P., Hearst, J. E., Thammana, P. and Cantor, C. R., Base-pairing between Distant Regions of the *Escherichia coli* 16 S Ribosomal RNA in Solution 255

Thammana, P., Cantor, C. R., Wollenzien, P. L. and Hearst, J. E., Cross-linking Studies on the Organization of the 16 S Ribosomal RNA within the 30 S *Escherichia coli* Ribosomal Subunit 271

Letters to the Editor

Wollenzien, P. L., Hearst, J. E., Squires, C. and Squires, C., Determining the Polarity of the Map of Crosslinked Interactions in *Escherichia coli* 16 S Ribosomal RNA 285

Mandelkow, E. M., Mandelkow, E. and Schultheiss, R., Correlation between Structural Polarity and Polar Assembly of Brain Tubulin . 293

Sasaki, D. M., Martin, P. D., Doscher, M. S. and Tsernoglou, D., Preliminary X-ray Crystallographic Data for the Semisynthetic Non-covalent Complex of Residues 1 to 18 and 111 to 124 of Bovine Pancreatic Ribonuclease 301

Wang, B.-C., Yoo, C. S., Furey, W. Jr and Sax, M., Automated Interpretation of Electron Density Maps as Applied to Bence–Jones Protein Rhe 305

Norris, G. E., Anderson, B. F., Baker, E. N. and Rumball, S. V., Purification and Preliminary Crystallographic Studies on Azurin and Cytochrome *c′* from *Alcaligenes denitrificans* and *Alcaligenes sp.* NCIB 11015 309

Masakuni, M., Simpson, R. J. and Isaacs, N. W., Preliminary X-ray Diffraction Studies on the "Goose-type" Lysozyme from the Egg-white of the Black Swan *Cygnus atratus*. 313

Number 2, 5 December 1979

Snyder, F. W., Jr and Chien, J. C. W., Soret Circular Dichroism of Cobalt-substituted Myoglobin and Hemoglobin Derivatives 315

Martens, P. A. and Clayton, D. A., Mechanism of Mitochondrial DNA Replication in Mouse L-cells: Localization and Sequence of the Light-strand Origin of Replication 327

Gillum, A. M. and Clayton, D. A., Mechanism of Mitochondrial DNA Replication in Mouse L-cells: RNA Priming During the Initiation of Heavy-strand Synthesis 353

LIM, L. W. and KENNELL, D., Models for Decay of *Escherichia coli lac* Messenger RNA and Evidence for Inactivating Cleavages between its Messages 369

Appendix: Mathematical Models for Decay of Linear Macromolecules . 384

MANDAL, C., KALLENBACH, N. R. and ENGLANDER, S. W., Base-pair Opening and Closing Reactions in the Double Helix. A Stopped-flow Hydrogen Exchange Study in Poly(rA)·Poly(rU) 391

ZAIN, S., GINGERAS, T. R., BULLOCK, P., WONG, G. and GELINAS, R. E., Determination and Analysis of Adenovirus-2 DNA Sequences which may Include Signals for Late Messenger RNA Processing 413

TATSUMI, K. and STRAUSS, B. S., Accumulation of DNA Growing Points in Caffeine-treated Human Lymphoblastoid Cells 435

Appendix: Calculation of the Approximate Number of Active Replicons from the Radioactivity in DNA_{HH} 447

ZAMPIGHI, G. and UNWIN, P. N. T., Two Forms of Isolated Gap Junctions . 451

HSIEH, T.-S. and BRUTLAG, D., Sequence and Sequence Variation Within the 1·688 g/cm^3 Satellite DNA of *Drosophila melanogaster* 465

CARLSON, M. and BRUTLAG, D., Different Regions of a Complex Satellite DNA Vary in Size and Sequence of the Repeating Unit 483

LETTERS TO THE EDITOR

KALB, A. J., STERN, E. A. and HEALD, S. M., Study of the Structure of the Transition Metal-binding Site of Concanavalin A by Extended X-Ray Absorption Fine-structure Spectroscopy 501

CLARK, M. W., HAMMONS, M., LANGER, J. A. and LAKE, J. A., Helical Arrays of *Escherichia coli* Small Ribosomal Subunits Produced *in Vitro* 507

EICHELE, G., FORD, G. C. and JANSONIUS, J. N., Crystallization of Pig Mitochondrial Aspartate Aminotransferase by Seeding with Crystals of the Chicken Mitochondrial Isoenzyme 513

MOSES, P. B. and HORIUCHI, K., Specific Recombination *in Vitro* Promoted by the Restriction Endonuclease *Hga*I 517

NUMBER 3, 15 DECEMBER 1979

REDDY, E. S. P., SITARAM, N., BHARGAVA, P. M. and SCHEIT, K. H., A New Pyrimidine-specific Ribonuclease from Bovine Seminal Plasma that is active on both Single and Double-stranded Polyribonucleotides and that can Distinguish between Mg^{2+}-containing and Mg^{2+}-depleted Naturally occurring RNAs 525

JACQUEMIN-SABLON, A., Lambda-repressed Mutants of Bacteriophage T5. II. Physiological Characterization 545

Brutlag, D. and Peacock, W. J., Sequences of the 1·672 g/cm³ Satellite DNA of *Drosophila melanogaster* 565

Fry, K. and Brutlag, D., Detection and Resolution of Closely Related Satellite DNA Sequences by Molecular Cloning 581

Muccio, D. D. and Cassim, J. Y., Interpretations of the Effects of pH on the Spectra of Purple Membrane 595

Sharrock, W. J. and Rabinowitz, J. C., Protein Synthesis in *Bacillus subtilis*. I. Hydrodynamics and *in Vitro* Functional Properties of Ribosomes from *B. subtilis* W168 611

Sharrock, W. J., Gold, B. M. and Rabinowitz, J. C., Protein Synthesis in *Bacillus subtilis*. II. Selective Translation of Natural mRNAs and its Possible Relation to the Species-specific Inhibition of Protein Synthesis by Lincomycin and Erythromycin 627

Guiard, B. and Lederer, F., The "Cytochrome b_5 Fold": Structure of a Novel Protein Superfamily 639

Wellems, T. E. and Josephs, R., Crystallization of Deoxyhemoglobin S by Fiber Alignment and Fusion 651

Waldeck, W., Spaeren, U., Mastromei, G., Eliasson, R. and Reichard, P., Replication of Polyoma DNA in Nuclear Extracts and Nucleoprotein Complexes 675

Serdyuk, I. N., Grenader, A. K. and Zaccaï, G., Study of the Internal Structure of *Escherichia coli* Ribosomes by Neutron and X-ray Scattering 691

Probst, E., Kressmann, A. and Birnstiel, M. L., Expression of Sea Urchin Histone Genes in the Oocyte of *Xenopus laevis* 709

Chen-Kiang, S., Nevins, J. R. and Darnell, J. E. Jr, *N*-6-Methyl-Adenosine in Adenovirus Type 2 Nuclear RNA is Conserved in the Formation of Messenger RNA 733

Appendix: Mathematical Model for Labeling Kinetics Analysis . . 749

Letters to the Editor

Fitzgerald, P. M. D., Stankiewicz, P. J., Smith, S. C. and McPherson, A., Internal Dihedral Symmetry of α-Amylase and α-Mannosidase . 753

Magdoff-Fairchild, B. and White, J. G., Tyrocidine A: Crystal Growth and Preliminary X-ray Diffraction Data 757

Errata 761

Number 4, 25 December 1979

Sakore, T. D., Reddy, B. S. and Sobell, H. M., Visualization of Drug–Nucleic Acid Interactions at Atomic Resolution. IV. Structure of an Amino-acridine–Dinucleoside Monophosphate Crystalline Complex, 9-Amino-acridine–5-Iodocytidylyl(3′–5′)Guanosine 763

REDDY, B. S., SESHADRI, T. P., SAKORE, T. D. and SOBELL, H. M., Visualization of Drug–Nucleic Acid Interactions at Atomic Resolution. V. Structure of two Aminoacridine–Dinucleoside Monophosphate Crystalline Complexes, Proflavine–5-Iodocytidylyl(3′–5′)Guanosine and Acridine Orange–5-Iodocytidylyl(3′–5′)Guanosine 787

JAIN, S. C., BHANDARY, K. K. and SOBELL, H. M., Visualization of Drug–Nucleic Acid Interactions at Atomic Resolution. VI. Structure of Two Drug–Dinucleoside Monophosphate Crystalline Complexes, Ellipticine–5-Iodocytidylyl(3′–5′)Guanosine and 3,5,6,8-Tetramethyl-*N*-Methyl Phenanthrolinium–5-Iodocytidylyl(3′–5′)Guanosine 813

KUROSAWA, Y. and OKAZAKI, T., Structure of the RNA Portion of the RNA-linked DNA Pieces in Bacteriophage T4-infected *Escherichia coli* Cells . 841

KAGUNI, J. and RAY, D. S., Cloning of a Functional Replication Origin of Phage G4 into the Genome of Phage M13 863

GILMORE-HERBERT, M. and WALL, R., Nuclear RNA Precursors in the Processing Pathway to MOPC21 κ Light Chain Messenger RNA . . . 879

CHIANG, T., ROESSNER, C. and IHLER, G., Location of Ribosome Binding Sites on the Right End of Lambda DNA 893

ROSENBERG, A. H., SIMON, M. N., STUDIER, F. W. and ROBERTS, R. J., Survey and Mapping of Restriction Endonuclease Cleavage Sites in Bacteriophage T7 DNA 907

STUDIER, F. W., ROSENBERG, A. H., SIMON, M. N. and DUNN, J. J, Genetic and Physical Mapping in the Early Region of Bacteriophage T7 DNA . 917

HOLMQUIST, R., The Method of Parsimony: an Experimental Test and Theoretical Analysis of the Adequacy of Molecular Restoration Studies . . 939

Appendix: Derivation of Formulae for P_{cc}, P_{cw}, P_{wc} and P_{ww} . . 953

CARUSO, M., COPPO, A., MANZI, A. and PULITZER, J. F., Host–Virus Interactions in the Control of T4 Prereplicative Transcription. I. *tab*C (*rho*) Mutants 959

PULITZER, J. F., COPPO, A. and CARUSO, M., Host–Virus Interactions in the Control of T4 Prereplicative Transcription. II. Interaction between *tab*C (*rho*) Mutants and T4 *mot* Mutants 979

CHALLBERG, M. D. and KELLY, T. J., Jr, Adenovirus DNA Replication *in vitro:* Origin and Direction of Daughter Strand Synthesis . . . 999

FOSS, K., KAO, S.-H. and MCCLAIN, W. H., Three Suppressor Forms of Bacteriophage T4 Leucine Transfer RNA 1013

LETTERS TO THE EDITOR

ZIMMERMAN, S. B. and PHEIFFER, B. H., A Direct Demonstration that the Ethanol-induced Transition of DNA is between the A and B Forms: an X-ray Diffraction Study 1023

GRÜTTER, M. G., RINE, K. L. and MATTHEWS, B. W., Crystallographic Data for Lysozyme from the Egg White of Embden Goose . . . 1029

ASCHAFFENBURG, R., LEWIS, M., PHILLIPS, D. C., PRESS, E. M., SMITH, S. G., SUTTON, B. J. and MOUNTFORD, C. W., Crystallographic Studies of Immunoglobulins: Crystallization of the Fc Fragment of Rabbit IgG With and Without Cleavage of the Inter-chain Disulphide Bridge. 1033

ANNOUNCEMENT 1037

Index to Volume 135

Acridine orange–5-iodocytidylyl(3′–5′)guanosine structure; visualization of drug–nucleic acid interactions at atomic resolution, 787

Adenovirus DNA replication *in vitro*: origin and direction of daughter strand synthesis, 999

— -2 DNA sequences which may include signals for late messenger RNA processing, 413

— — encoded transcripts synthesized *in vitro* and *in vivo*, identification and comparison; RNA synthesis in isolated nuclei, 171

— type 2 nuclear RNA: the *N*-6-methyl-adenosine is conserved in the formation of messenger RNA, 733

Alcaligenes denitrificans and *Alcaligenes sp.* NCIB 11015, purification and preliminary crystallographic studies on azurin and cytochrome *c′*, 309

Amide protons, detection of an early intermediate in the folding of ribonuclease A by their protection against exchange, 199

Aminoacridine-dinucleoside monophosphate crystalline complexes: structure of proflavine–5-iodocytidylyl(3′–5′)guanosine and acridine orange–5-iodocytidylyl(3′–5′)guanosine, 787

9-Aminoacridine–5-iodocytidylyl(3′–5′)guanosine structure; visualization of drug–nucleic acid interactions at atomic resolution, 763

2-Aminopurine·hydroxymethylcytosine heteroduplexes, asymmetry in formation; a model giving misincorporation frequencies and rounds of DNA replication from base-pair populations *in vivo*, 1

α-Amylase and α-mannosidase, internal dihedral symmetry, 753

Anderson, B. F. (see also Norris, G. E.), 309

Aschaffenburg, R., Lewis, M., Phillips, D. C., Press, E. M., Smith, S. G., Sutton, B. J. & Mountford, C. W., Crystallographic studies of immunoglobulins: crystallization of the Fc fragment of rabbit IgG with and without cleavage of the inter-chain disulphide bridge, 1033

Aspartate aminotransferase, mitochondrial, of pig, crystallization by seeding with crystals of the chicken mitochondrial isoenzyme, 513

Asymmetry in forming 2-aminopurine·hydroxymethylcytosine heteroduplexes; a model giving misincorporation frequencies and rounds of DNA replication from base-pair populations *in vivo*, 1

Automated interpretation of electron density maps as applied to Bence–Jones protein Rhe, 305

Azurin and cytochrome *c′* from *Alcaligenes denitrificans* and *Alcaligenes sp.* NCIB 11015, purification and preliminary crystallographic studies, 309

Baas, P. D. (see also Keegstra, W.), 69

Bacillus subtilis, protein synthesis: hydrodynamics and *in vitro* functional properties of ribosomes from *B. subtilis* W168, 611

— —, — —: selective translation of natural mRNAs and its possible relation to the species-specific inhibition of protein synthesis by lincomycin and erythromycin, 627

Bacteriophage λ DNA, location of ribosome binding sites on the right end, 893

— φX174 RF DNA replication *in vivo*, a study by electron microscopy, 69

— T4 leucine transfer RNA, three suppressor forms, 1013

— — prereplicative transcription, host-virus interactions in its control; interaction between *tab*C (*rho*) mutants and T4 *mot* mutants, 979

— — — —, — — — — — —; *tab*C (*rho*) mutants, 959

— T4-infected *Escherichia coli* cells, structure of the RNA portion of the RNA-linked DNA pieces, 841

— T5 lambda-repressed mutants; physiological characterization, 545

— T7 DNA, genetic and physical mapping in the early region, 917

— — —, identification, cloning and characterization of three late promoters at 14·6, 14·8 and 15·9%, 91

— — —, survey and mapping of restriction endonuclease cleavage sites, 907

Baker, E. N. (see also Norris, G. E.), 309

Baldwin, R. L. (see also Labhardt, A. M.), 231, 245

—, — (see also Schmid, F. X.), 199

Base-pair opening and closing reactions in the double helix; a stopped-flow hydrogen exchange study in poly(rA)·poly(rU), 391

Base-pair populations, a model giving misincorporation frequencies and rounds of DNA replication *in vivo*; asymmetry in forming 2-aminopurineh·ydrodroxymethylcytosine heteroduplexes, 1
— pairing between distant regions of the *Escherichia coli* 16 S ribosomal RNA in solution, 255
Beuachamp, R. S. (see also Mitchell, A. R.), 127
Bence–Jones protein Rhe, automated interpretation of electron density maps, 305
Bhandary, K. K. (see also Jain, S. C.), 813
Bhargava, P. M. (see also Reddy, E. S. P.), 525
Bignami, A. (see also Rueger, D. C.), 53
Binding site, metal, transition, of concanavalin A, study of the structure by extended X-ray absorption fine-structure spectroscopy, 501
— sites, ribosomal, location on the right end of λ DNA, 893
Birnstiel, M. L. (see also Probst, E.), 709
Blumenberg, M. & Magasanik, B., A study in evolution: the histidine utilization genes of enteric bacteria, 23
Bostock C. J. (see also Mitchell, A. R.), 127
Bovine pancreatic ribonuclease, preliminary X-ray crystallographic data for the semisynthetic non-covalent complex of residues 1 to 18 and 111 to 124, 301
— seminal plasma yields a new pyrimidine-specific ribonuclease that is active on both single and double-stranded polyribonucleotides and that can distinguish between Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525
Brain tubulin, correlation between structural polarity and polar assembly, 293
Brillouin light scattering determination of the elastic constants of collagen, 39
Brutlag, D. & Peacock, W. J., Sequences of the 1·672 g/cm^3 satellite DNA of *Drosophila melanogaster*, 565
—, — (see also Carlson, M.), 483
—, — (see also Fry, K.), 581
—, — (see also Hsieh, T.-S.), 465
Bullock, P. (see also Zain, S.), 413

Caffeine, effect on accumulation of DNA growing points in human lymphoblastoid cells, 435
Cantor, C. R. (see also Thammana, P.), 271
—, — (see also Wollenzien, P.), 255
Carlson, M. & Brutlag, D., Different regions of a complex satellite DNA vary in size and sequence of the repeating unit, 483
Caruso, M., Coppo, A., Manzi, A. & Pulitzer, J. F., Host-virus interactions in the control of T4 prereplicative transcription. I. *tab*C (*rho*) mutants, 959
Cassim, J. Y. (see also Muccio, D. D.), 595
Challberg, M. D. & Kelly, T. J., Jr, Adenovirus DNA replication *in vitro*: origin and direction of daughter strand synthesis, 999
Chen-Kiang, S., Nevins, J. R. & Darnell, J. E. Jr, *N*-6-methyl-adenosine in adenovirus type 2 nuclear RNA is conserved in the formation of messenger RNA, 733
Chiang, T., Roessner, C. & Ihler, G., Location of ribosome binding sites on the right end of lambda DNA, 893
Chicken mitochondrial isoenzyme crystals used in seeding for crystallization of pig mitochondrial aspartate aminotransferase, 513
Chien, J. C. W. (see also Snyder, F. W., Jr), 315
Circular dichroism, Soret, of cobalt-substituted myoglobin and hemoglobin derivatives, 315
Clark, M. W., Hammons, M., Langer, J. A. & Lake, J. A., Helical arrays of *Escherichia coli* small ribosomal subunits produced *in vitro*, 507
Clayton, D. A. (see also Gillum, A. M.), 353
—, — (see also Martens, P. A.), 327
Cleavage sites, restriction endonuclease, in bacteriophage T7 DNA, survey and mapping, 907
Cleavages, inactivating, between messages; models for decay of *Escherichia coli lac* messenger RNA, 369
Cloning, identification and characterization of three late promoters at 14·6, 14·8 and 15·9% of T7 DNA, 91
—, molecular, and the detection and resolution of closely related satellite DNA sequences, 581
Cobalt-substituted myoglobin and hemoglobin derivatives, Soret circular dichroism, 315
Collagen, determination of elastic constants by Brillouin light scattering, 39
Concanavalin A, study of the structure of the transition metal-binding site by extended X-ray absorption fine-structure spectroscopy, 501
Coppo, A. (see also Caruso, M.), 959

Crosslinked interactions in *Escherichia coli* 16 S ribosomal RNA, determining the polarity of the map, 285
Crosslinking of 30 S protein S9 to proteins of the 50 S subunit; the subunit interface of the *Escherichia coli* ribosome, 151
— studies of the organization of the 16 S ribosomal RNA within the 30 S *Escherichia coli* ribosomal subunit, 271
Crystal growth and preliminary X-ray diffraction data for tyrocidine A, 757
Crystallization of deoxyhemoglobin S by fiber alignment and fusion, 651
— — pig mitochondrial aspartate aminotransferase by seeding with crystals of the chicken mitochondrial isoenzyme, 513
Cyrstallographic data for lysozyme from the egg white of the embden goose, 1029
— studies of immunoglobulins: crystallization of the Fc fragment of rabbit IgG with and without cleavage of the inter-chain disulphide bridge, 1033
— —, preliminary, and purification of azurin and cytochrome *c′* from *Alcaligenes denitrificans* and *Alcaligenes sp.* NCIB 11015, 309
Cusack, S. & Miller, A., Determination of the elastic constants of collagen by Brillouin light scattering, 39
Cygnus atratus, black swan, preliminary X-ray diffraction studies on the "goose-type" lysozyme from the egg-white, 313
"Cytochrome b_5 fold": structure of a novel protein superfamily, 639
Cytochrome *c′* and azurin from *Alcaligenes denitrificans* and *Alcaligenes sp.* NCIB 11015, purification and preliminary crystallographic studies, 309

Dahl, D. (see also Rueger, D. C.), 53
Darnell, J. E. Jr (see also Chen-Kiang, S.), 733
Daughter strand synthesis, origin and direction; adenovirus DNA replication *in vitro*, 999
Decay of *Escherichia coli lac* messenger RNA and evidence for inactivating cleavages between its messages, 369
Denatured enzyme reactivation and proline peptide isomerization, 217
Deoxyhemoglobin S, crystallization by fiber alignment and fusion, 651
DNA, adenovirus, replication *in vitro*: origin and direction of daughter strand synthesis, 999
— of bacteriophage λ, location of ribosome binding sites on the right end, 893
— — — T7, genetic and physical mapping in the early region, 917
— — — —, survey and mapping of restriction endonuclease cleavage sites, 907
DNA, a direct demonstration that the ethanol-induced transition is between the A and B forms; an X-ray diffraction study, 1023
— growing point accumulation in caffeine-treated human lymphoblastoid cells, 435
— pieces, RNA-linked, in bacteriophage T4-infected *Escherichia coli* cells, structure of the RNA portion, 841
—, polyoma, replication in nuclear extracts and nucleoprotein complexes, 675
— replication, mitochondrial, mechanism in mouse L-cells: localization and sequence of the light-strand origin of replication, 327
— —, —, mechanism in mouse L-cells: RNA priming during the initiation of heavy-strand synthesis, 353
— — rounds and misincorporation frequencies from base-pair populations *in vivo*; asymmetry in forming 2-aminopurine·hydroxymethylcytosine heteroduplexes, 1
—, RF, of bacteriophage φX174, replication *in vivo*, a study by electron microscopy, 69
—, satellite, detection and resolution of closely related sequences by molecular cloning, 581
—, —, different regions vary in size and sequence of the repeating unit, 483
—, —, four, of man, a study of sequence homologies, 127
—, —, 1·672 g/cm^3, sequences of *Drosophila melanogaster*, 565
—, —, 1·688 g/cm^3, of *Drosophila melanogaster*, sequence and sequence variation, 465
— sequences of adenovirus-2 which may include signals for late messenger RNA processing, 413
—, T7, identification, cloning and characterization of three late promoters at 14·6, 14·8 and 15·9%, 91
DNA_{HH} radioactivity, calculation of the approximate number of active replicons, 447
Doscher, M. S. (see also Sasaki, D. M.), 301
Double helix, base-pair opening and closing reactions; a stopped-flow hydrogen exchange study in poly(rA)·poly(rU), 391
Drosophila melanogaster, sequence and sequence variation within the 1·688 g/cm^3 satellite DNA, 465
— — sequences of the 1·672 g/cm^3 satellite DNA, 565

Drug–nucleic acid interactions, visualization at atomic resolution: structure of an aminoacridine–dinucleoside monophosphate crystalline complex, 9-aminoacridine–5-iodocytidylyl(3′–5′)guanosine, 763
— — — —, — — —: — — two aminoacridine–dinucleoside monophosphate crystalline complexes, proflavine–5-iodocytidylyl(3′–5′)guanosine and acridine organge–5-iodocytidylyl (3′–5′)guanosine, 787
— — — —, — — — — structure of two drug–dinucleoside monophosphate crystalline complexes, ellipticine–5-iodocytidylyl(3′–5′)guanosine and 3,5,6,8-tetramethyl-*N*-methyl phenanthrolinium–5-iodocytidylyl(3′–5′)guanosine, 813
Dunn, J. J. (see also Studier, F. W.), 917

Early intermediate in the folding of ribonuclease A, detection by protection of amide protons against exchange, 199
— region of bacteriophage T7 DNA, genetic and physical mapping, 917
Egg-white lysozyme, "goose-type", of the black swan *Cygnus atratus*, preliminary X-ray diffraction studies, 313
— — — of the embden goose, crystallographic data, 1029
Eichele, G., Ford, G. C. & Jansonius, J. N., Crystallization of pig mitochondrial aspartate aminotransferase by seeding with crystals of the chicken mitochondrial isoenzyme, 513
Eisenberg, S. P., Yarus, M. & Soll, L., The effect of an *Escherichia coli* regulatory mutation on transfer RNA structure, 111
Elastic constants of collagen, determination by Brillouin light scattering, 39
Electron density maps, automated interpretation as applied to Bence–Jones protein Rhe, 305
— microscopy study of bacteriophage ϕX174 RF DNA replication *in vivo*, 69
Eliasson, R. (see also Waldeck, W.), 675
Ellipticine–5-iodocytidylyl(3′–5′)guanosine structure; visualization of drug–nucleic acid interactions at atomic resolution, 813
Embden goose, crystallographic data for egg white lysozyme, 1029
Englander, S. W. (see also Mandal, C.), 391
Erythromycin and lincomycin, their species-specific inhibition of protein synthesis and its possible relation to selective translation of natural mRNAs; protein synthesis in *Bacillus subtilis*, 627
Escherichia coli cells, bacteriophage T4-infected, structure of the RNA portion of the RNA-linked DNA pieces, 841
— —, crosslinking studies on the organization of the 16 S ribosomal RNA within the 30 S ribosomal subunit, 271
— —, helical arrays of small ribosomal subunits produced *in vitro*, 507
— — regulatory mutation affects transfer RNA structure, 111
— —, models for decay of *lac* messenger RNA and evidence for inactivating cleavages between its messages, 369
— — ribosome subunit interface; crosslinking of 30 S protein S9 to proteins of the 50 S subunit, 151
— — ribosomes, study of the internal structure by neutron and X-ray scattering, 691
— — 16 S ribosomal RNA, determining the polarity of the map of crosslinked interactions, 285
— — 16 S ribosomal RNA in solution, base-pairing between distant regions, 255
Ethanol-induced transition of DNA is between the A and B forms, a direct demonstration by X-ray diffraction study, 1023
Evolution study: the histidine utilization genes of enteric bacteria, 23
Extended X-ray absorption fine-structure spectroscopy study of the structure of the transition metal-binding site of concanavalin A, 501

Fanning, T. G. (see also Kenny, J. W.), 151
Fc fragment of rabbit IgG, crystallization with and without cleavage of the inter-chain disulphide bridge; crystallographic studies of immunoglobulins, 1033
Fiber alignment and fusion and the crystallization of deoxyhemoglobin S, 651
Filaments, 100 Å, formation from purified glial fibrillary acidic protein *in vitro*, 53
Fitzgerald, P. M. D., Stankiewicz, P. J., Smith, S. C. & McPherson, A., Internal dihedral symmetry of α-amylase and α-mannosidase, 753
Folding of ribonuclease A, detection of an early intermediate by protection of amide protons against exchange, 199
— — — S and recombination of S-peptide with S-protein: folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
— — — — — — — — — —: kinetic characterization of a stable folding intermediate shown by S-protein at pH 1·7, 245
Ford, G. C. (see also Eichele, G.), 513

Foss, K., Kao, S.-H. & McClain, W. H., Three suppressor forms of bacteriophage T4 leucine transfer RNA, 1013
Fry, K. & Brutlag, D., Detection and resolution of closely related satellite DNA sequences by molecular cloning, 581
Furey, W. Jr (see also Wang, B.-C.), 305

Gap junction structure, two forms, 451
Gefter, M. L. (see also Manley, J. L.), 171
Gelinas, R. E. (see also Zain, S.), 413
Genes, histidine utilization, of enteric bacteria; a study in evolution, 23
Genetic and physical mapping in the early region of bacteriophage T7 DNA, 917
Gillum, A. M. & Clayton, D. A., Mechanism of mitochondrial DNA replication in mouse L-cells: RNA priming during the initiation of heavy-strand synthesis, 353
Gilmore-Herbert, M. & Wall, R., Nuclear RNA precursors in the processing pathway to MOPC21 κ light chain messenger RNA, 879
Gingeras, T. R. (see also Zain, S.), 413
Glial fibrillary acidic protein, purified, formation of 100 Å filaments *in vitro*, 53
Gold, B. M. (see also Sharrock, W. J.), 627
Goodman, M. F. (see also Hopkins, R.), 1
"Goose-type" lysozyme from the egg-white of the black swan *Cygnus atratus*, preliminary X-ray diffraction studies, 313
Grenader, A. K. (see also Serdyuk, I. N.), 691
Grütter, M. G., Rine, K. L. & Matthews, B. W., Crystallographic data for lysozyme from the egg white of embden goose, 1029
Guiard, B. & Lederer, F., The "cytochrome b_5 fold": structure of a novel protein superfamily, 639

Hammons, M. (see also Clark, M. W.), 507
Heald, S. M. (see also Kalb, A. J.), 501
Hearst, J. E. (see also Thammana, P.), 271
—, — (see also Wollenzien, P., 255, 285
Heavy-strand synthesis, RNA priming during its initiation; mechanism of mitochondrial DNA replication in mouse L-cells, 353
Helical arrays of *Escherichia coli* small ribosomal subunits produced *in vitro*, 507
Hemoglobin and myoglobin derivatives, cobalt-substituted, Soret circular dichroism, 315
*Hga*I restriction endonuclease promotes specific recombination *in vitro*, 517
Histidine utilization genes of enteric bacteria; a study in evolution, 23
Histone genes, sea urchin, expression in the oocyte of *Xenopus laevis*, 709
Holmquist, R., The method of parsimony: an experimental test and theoretical analysis of the adequacy of molecular restoration studies, 939
Hopkins, R. & Goodman, M. F., Asymmetry in forming 2-aminopurine·hydroxymethylcytosine heteroduplexes; a model giving misincorporation frequencies and rounds of DNA replication from base-pair populations *in vivo*, 1
Horiuchi, K. (see also Moses, P. B.), 517
Host-virus interactions in the control of T4 prereplicative transcription: interaction between *tab*C (rho) mutants and T4 *mot* mutants, 979
— — — — — — — — — — — — *tab*C (*rho*) mutants, 959
Hsieh, T.-S. & Brutlag, D., Sequence and sequence variation within the 1·688 g/cm^3 satellite DNA of *Drosophila melanogaster*, 465
Human lymphoblastoid cells, effect of caffeine on accumulation of DNA growing points, 435
— satellite DNAs, four, a study of sequence homologies, 127
Huston, J. S. (see also Rueger, D. C.), 53
Hydrodynamics and *in vitro* functional properties of ribosomes from *Bacillus subtilis* W168; protein synthesis in *Bacillus subtilis*, 611
Hydrogen exchange study, stopped-flow, in poly(rA)·poly(rU); base-pair opening and closing reactions in the double helix, 391

IgG of rabbit, crystallization of the Fc fragment with and without cleavage of the inter-chain disulphide bridge; crystallographic studies of immunoglobulins, 1033
Ihler, G. (see also Chiang, T.), 893
Immunoglobulin crystallographic studies: crystallization of the Fc fragment of rabbit IgG with and without cleavage of the inter-chain disulphide bridge, 1033
Intermediate, early, in the folding of ribonuclease A, detection by protection of amide protons against exchange, 199

Intermediate, folding, stable, shown by S-protein at pH 1·7; recombination of S-peptide with S-protein during folding of ribonuclease S, 245
Isaacs, N. W. (see also Masakuni, M.), 313

Jacquemin-Sablon, A., Lambda-repressed mutants of bacteriophage T5. II. Physiological characterization, 545
Jain, S. C., Bhandary, K. K. & Sobell, H. M., Visualization of drug–nucleic acid interactions at atomic resolution. VI. Structure of two drug–dinucleoside monophosphate crystalline complexes, ellipticine–5-iodocytidylyl(3′–5′)guanosine and 3,5,6,8-tetramethyl-*N*-methyl phenanthrolinium–5-iodocytidylyl(3′–5′)guanosine, 813
Jansonius, J. N. (see also Eichele, G.), 513
Jansz, H. S. (see also Keegstra, W.), 69
Josephs, R. (see also Wellems, T. E.), 651
κ light chain messenger RNA in MOPC 21 cells, nuclear RNA precursors in the processing pathway, 879

Kaguni, J. & Ray, D. S., Cloning of a functional replication origin of phage G4 into the genome of phage M13, 863
Kalb, A. J., Stern, E. A. & Heald, S. M., Study of the structure of the transition metal-binding site of concanavalin A by extended X-ray absorption fine-structure spectroscopy, 501
Kallenbach, N. R. (see also Mandal, C.), 391
Kao, S.-H. (see also Foss, K.), 1013
Keegstra, W., Baas, P. D. & Jansz, H. S., Bacteriophage ϕX174 RF DNA replication *in vivo*. A study by electron microscopy, 69
Kelly, T. J., Jr (see also Challberg, M. D.), 999
Kennell, D. (see also Lim, L. W.), 369
Kenny, J. W., Fanning, T. G., Lambert, J. M. & Traut, R. R., The subunit interface of the *Escherichia coli* ribosome. Crosslinking of 30 S protein S9 to proteins of the 50 S subunit, 151
Kressmann, A. (see also Probst, E.), 709
Kurosawa, Y. & Okazaki, T., Structure of the RNA portion of the RNA-linked DNA pieces in bacteriophage T4-infected *Escherichia coli* cells, 841

Labeling kinetics analysis: a mathematical model, 749
Labhardt, A. M. & Baldwin, R. L., Recombination of S-peptide with S-protein during folding of ribonuclease S. I. Folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
—, — — — —, — — — — — — — — — — II. Kinetic characterization of a stable folding intermediate shown by S-protein at pH 1·7, 245
lac messenger RNA of *Escherichia coli*, models for its decay and evidence for inactivating cleavages between its messages, 369
Lake, J. A. (see also Clark, M. W.), 507
λ (see also Bacteriophage), 893
Lambda-repressed mutants of bacteriophage T5, physiological characterization, 545
Lambert, J. M. (see also Kenny, J. W.), 151
Langer, J. A. (see also Clark, M. W.), 507
Late messenger RNA processing signals may be included in adenovirus-2 DNA sequences, 413
— promoters, three, at 14·6, 14·8 and 15·9% of T7 DNA, identification, cloning and characterization, 91
L-cells, mouse, mechanism of mitochondrial DNA replication: localization and sequence of the light-strand origin of replication, 327
— —, —, — — — — —: RNA priming during the initiation of heavy-strand synthesis, 353
Lederer, F. (see also Guiard, B.), 639
Leucine transfer RNA of bacteriophage T4, three suppressor forms, 1013
Lewis, M. (see also Aschaffenburg, R.), 1033
Light-strand origin of replication, localization and sequence; mechanism of mitochondrial DNA replication in mouse L-cells, 327
Lim, L. W. & Kennell, D., Models for decay of *Escherichia coli lac* messenger RNA and evidence for inactivating cleavages between its messages, 369
Lincomycin and erythromycin, their species-specific inhibition of protein synthesis and its possible relation to selective translation of natural mRNAs; protein synthesis in *Bacillus subtilis*, 627
Lymphoblastoid cells, human, effect of caffeine on accumulation of DNA growing points, 435
Lysozyme from the egg white of the embden goose, crystallographic data, 1029
—, "goose-type", from the egg-white of the black swan *Cygnus atratus*, preliminary X-ray diffraction studies, 313

McClain, W. H. (see also Foss, K.), 1013
McPherson, A. (see also Fitzgerald, P. M. D.), 753
Macromolecules, linear, mathematical models for their decay, 384
Magasanik, B. (see also Blumenberg, M.), 23
Magdoff-Fairchild, B. & White, J. G., Tyrocidine A: crystal growth and preliminary X-ray diffraction data, 761
Mandal, C., Kallenbach, N. R. & Englander, S. W., Base-pair opening and closing reactions in the double helix. A stopped-flow hydrogen exchange study in poly(rA)·poly(rU), 391
Mandelkow, E. (see also Mandelkow, E. M.), 293
—, E. M., Mandelkow, E. & Schultheiss, R., Correlation between structural polarity and polar assembly of brain tubulin, 293
Manley, J. L., Sharp, P. A. & Gefter, M. L., RNA synthesis in isolated nuclei: identification and comparison of adenovirus 2 encoded transcripts synthesized *in vitro* and *in vivo*, 171
α-Mannosidae and α-amylase, internal dihedral symmetry, 753
Manzi, A. (see also Caruso, M.), 959
Map of crosslinked interactions in *Escherichia coli* 16 S ribosomal RNA, determination of the polarity, 285
Mapping, genetic and physical, in the early region of bacteriophage T7 DNA, 917
— and survey of restriction endonuclease cleavage sites in bacteriophage T7 DNA, 907
Maps of electron density, automated interpretation as applied to Bence–Jones protein Rhe, 305
Martens, P. A. & Clayton, D. A., Mechanism of mitochondrial DNA replication in mouse L-cells: localization and sequence of the light-strand origin of replication, 327
Martin, P. D. (see also Sasaki, D. M.), 301
Masakuni, M., Simpson, R. J. & Isaacs, N. W., Preliminary X-ray diffraction studies on the "goose-type" lysozyme from the egg-white of the black swan *Cygnus atratus*, 313
Mastromei, G. (see also Waldeck, W.), 675
Matthews, B. W. (see also Grütter, M. G.), 1029
Messenger RNA formation, *N*-6-methyl-adenosine in adenovirus type 2 nuclear RNA is conserved, 733
— —, κ light chain, in MOPC 21 cells, nuclear RNA precursors in the processing pathway, 879
— —,—*lac*, of *Escherichia coli*, models for its decay and evidence for inactivating cleavages between its messages, 369
— —, late, processing signals may be included in adenovirus-2 DNA sequences, 413
— RNAs, natural, selective translation and its possible relation to the species-specific inhibition of protein synthesis by lincomycin and erythromycin; protein synthesis in *Bacillus subtilis*, 627
Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs can be distinguished by a new pyrimidine-specific ribonuclease from bovine seminal plasma that is active on both single and double-stranded polyribonucleotides, 525
Miller, A. (see also Cusack, S.), 39
Misincorporation frequencies and rounds of DNA replication from base-pair populations *in vivo*; asymmetry in forming 2-aminopurine·hydroxymethylcytosine heteroduplexes, 1
Mitchell, A. R., Beauchamp, R. S. & Bostock, C. J., A study of sequence homologies in four satellite DNAs of man, 127
Mitochondrial aspartate aminotransferase of pig, crystallization by seeding with crystals of the chicken mitochondrial isoenzyme, 513
— DNA replication mechanism in mouse L-cells: localization and sequence of the light-strand origin of replication, 327
— — — — — — —: RNA priming during the initiation of heavy-strand synthesis, 353
Models for decay of *Escherichia coli lac* messenger RNA and evidence for inactivating cleavages between its messages, 369
Molecular restoration studies, an experimental test and theoretical analysis of their adequacy; the method of parsimony, 939
MOPC 21, nuclear RNA precursors in the processing pathway to κ light chain messenger RNA, 879
Moses, P. B. & Horiuchi, K., Specific recombination *in vitro* promoted by the restriction endonuclease *Hga*I, 517
mot mutants, T4, interaction with *tab*C (*rho*) mutants; host–virus interactions in the control of T4 prereplicative transcription, 979
Mountford, C. W. (see also Aschaffenburg, R.), 1033
Mouse L-cells, mechanism of mitochondrial DNA replication: localization and sequence of the light-strand origin of replication, 327
— —, — — — — —: RNA priming during the initiation of heavy-strand synthesis, 353
Muccio, D. D. & Cassim, J. Y., Interpretations of the effects of pH on the spectra of purple membrane, 595

Mutants, lambda-repressed, of bacteriophage T5; physiological characterization, 545
—, *tab*C (*rho*); host-virus interactions in the control of T4 prereplicative transcription, 959
—, — —, interaction with T4 *mot* mutants; host–virus interactions in the control of T4 prereplicative transcription, 979
Mutation, regulatory, in *Escherichia coli*, effect on transfer RNA structure, 111
Myoglobin and hemoglobin derivatives, cobalt-substituted, Soret circular dichroism, 315

Neutron and X-ray scattering study of the internal structure of *Escherichia coli* ribosomes, 691
Nevins, J. R. (see also Chen-Kiang, S.), 733
N-6-methyl-adenosine in adenovirus type 2 nuclear RNA is conserved in the formation of messenger RNA, 733
Norris, G. E., Anderson, B. F., Baker, E. N. & Rumball, S. V., Purification and preliminary crystallographic studies on azurin and cytochrome *c'* from *Alcaligenes denitrificans* and *Alcaligenes sp.* NCIB 11015, 309
Nuclear extracts and nucleoprotein complexes, replication of polyoma DNA, 675
— RNA of adenovirus type 2: the *N*-6-methyl-adenosine is conserved in the formation of messenger RNA, 733
— — precursors in the processing pathway to MOPC 21 κ light chain messenger RNA, 879
Nucleoprotein complexes and nuclear extracts, replication of polyoma DNA, 675
Nuclei, isolated, in which RNA is synthesized; identification and comparison of adenovirus 2 encoded transcripts synthesized *in vitro* and *in vivo*, 171

Okazaki, T. (see also Kurosawa, Y.), 841
ϕX174 (see also Bacteriophage), 69

Panayotatos, N. & Wells, R. D., Identification, cloning and characterization of three late promoters at 14·6, 14·8 and 15·9% of T7 DNA, 91
Parsimony method: an experimental test and theoretical analysis of the adequacy of molecular restoration studies, 939
Peacock, W. J. (see also Brutlag, D.), 565
pH, interpretation of its effects on the spectra of purple membrane, 595
Pheiffer, B. H. (see also Zimmerman, S. B.), 1023
Phillips, D. C. (see also Aschaffenburg, R.), 1033
Pig mitochondrial aspartate aminotransferase crystallization by seeding with crystals of the chicken mitochondrial enzyme, 513
Polar assembly of brain tubulin, correlation with structural polarity, 293
Polyoma DNA replication in nuclear extracts and nucleoprotein complexes, 675
Poly(rA)·poly(rU), a stopped-flow hydrogen exchange study; base-pair opening and closing reactions in the double helix, 391
Polyribonucleotides, single and double-stranded, are both acted on by a new pyrimidine-specific ribonuclease from bovine seminal plasma that can also distinguish between Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525
Precursors, nuclear RNA, in the processing pathway to MOPC 21 κ light chain messenger RNA, 879
Press, E. M. (see also Aschaffenburg, R.), 1033
Probst, E., Kressmann, A. & Birnstiel, M. L., Expression of sea urchin histone genes in the oocyte of *Xenopus laevis*, 709
Proflavine-5–iodocytidylyl(3′–5′)guanosine structure; visualization of drug–nucleic acid interactions at atomic resolution, 787
Proline peptide isomerization and the reactivation of denatured enzymes, 217
Promoters, late, at 14·6, 14·8 and 15·9% of T7 DNA, identification, cloning and characterization, 91
Protein, glial fibrillary acidic, formation of 100 Å filaments *in vitro*, 53
— Rhe, automated interpretation of electron density maps, 305
— S9 crosslinking to proteins of the 50 S subunit; the subunit interface of the *Escherichia coli* ribosome, 151
— superfamily structure; the "cytochrome b_5 fold", 639
— synthesis in *Bacillus subtilis*: hydrodynamics and *in vitro* functional properties of ribosomes from *B. subtilis* W168, 611
— — — — —: selective translation of natural mRNAs and its possible relation to the species-specific inhibition of protein synthesis by lincomycin and erythromycin, 627
Pulitzer, J. F., Coppo, A. & Caruso, M., Host–virus interactions in the control of T4 prereplicative transcription. II. Interaction between *tab*C (*rho*) mutants and T4 *mot* mutants, 979
— — (see also Caruso, M.), 959

Purple membrane spectra, interpretations of the effects of pH, 595
Pyrimidine-specific ribonuclease, new, from bovine seminal plasma that is active on both single and double-stranded polyribonucleotides and that can distinguish between Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525

Rabbit IgG, crystallization of the Fc fragment with and without cleavage of the inter-chain disulphide bridge; crystallographic studies of immunoglobulins, 1033
Rabinowitz, J. C. (see also Sharrock, W. J.), 611, 627
Radioactivity in DNA_{HH}, calculation of the approximate number of active replicons, 447
Ray, D. S. (see also Kaguni, J.), 863
Reactivation of denatured enzymes and proline peptide isomerization, 217
Recombination, specific, *in vitro* promoted by the restriction endonuclease *Hga*I, 517
— of S-peptide with S-protein during folding of ribonuclease S: folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
— — — — — — — — — — — kinetic characterization of a stable folding intermediate shown by S–protein at pH 1·7, 245
Reddy, B. S., Seshadri, T. P., Sakore, T. D. & Sobell, H. M., Visualization of drug–nucleic acid interactions at atomic resolution. V. Structure of two aminoacridine–dinucleoside monophosphate crystalline complexes, proflavine–5-iodocytidylyl(3′–5′)guanosine and acridine orange–5-iodocytidylyl(3′–5′)guanosine, 787
— — (see also Sakore, T. D.), 763
—, E. S. P., Sitaram, N., Bhargava, P. M. & Scheit, K. H., A new pyrimidine-specific ribonuclease from bovine seminal plasma that is active on both single and double-stranded polyribonucleotides and that can distinguish between Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525
Reichard, P. (see also Waldeck, W.), 675
Replication of adenovirus DNA *in vitro*: origin and direction of daughter strand synthesis, 999
— — bacteriophage ϕX174 RF DNA *in vivo*, a study by electron microscopy, 69
— — DNA, a model giving misincorporation frequencies and rounds from base-pair populations *in vivo*; asymmetry in forming 2-aminopurine·hydroxymethylcytosine heteroduplexes, 1
— — polyoma DNA in nuclear extracts and nucleoprotein complexes, 675
— mechanism of mitochondrial DNA in mouse L-cells: localization and sequence of the light-strand origin of replication, 327
— — — — — — — — —: RNA priming during the initiation of heavy-strand synthesis, 353
Restriction endonuclease cleavage sites in bacteriophage T7 DNA, survey and mapping, 907
— — *Hga*I promotes specific recombination *in vitro*, 517
Rhe, Bence Jones protein, automated interpretation of electron density maps, 305
Ribonuclease, pyrimidine-specific, new, from bovine seminal plasma that is active on both single and double-stranded polyribonucleotides and that can distinguish between Mg^{+2}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525
— A folding, detection of an early intermediate by protection of amide protons against exchange, 199
— S folding and the recombination of S-peptide with S-protein: folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
— — — — — — — — — — —: kinetic characterization of a stable folding intermediate shown by S-protein at pH 1·7, 245
RNA, nuclear, of adenovirus type 2: the *N*-6-methyl-adenosine is conserved in the formation of messenger RNA, 733
—, —, precursors in the processing pathway to MOPC 21 κ light chain messenger RNA, 879
— priming during the initiation of heavy-strand synthesis; mechanism of mitochondrial DNA replication in mouse L-cells, 353
—, 16 S ribosomal, of *Escherichia coli*, determining the polarity of the map of crosslinked interactions, 285
—, — — —, — — —, in solution, base-pairing between distant regions, 255
— 16 S ribosomal, within the 30 S *Escherichia coli* ribosomal subunit, crosslinking studies of the organization, 271
— structure of the RNA-linked DNA pieces in bacteriophage T4-infected *Escherichia coli* cells, 841
— synthesis in isolated nuclei: identification and comparison of adenovirus 2 encoded transcripts synthesized *in vitro* and *in vivo*, 171
—, T4 leucine transfer: three suppressor forms, 1013
— transfer, structure, the effect of an *Escherichia coli* regulatory mutation, 111
RNAs, naturally occurring, Mg^{2+}-containing and Mg^{2+}-depleted, can be distinguished by a new pyrimidine-specific ribonuclease from bovine seminal plasma that is active on both single and double-stranded polyribonucleotides, 525

Ribosomal 16 S RNA of *Escherichia coli*, determining the polarity of the map of crosslinked interactions, 285
— — — — — — —, in solution, base-pairing between distant regions, 255
— — — — within the 30 S *Escherichia coli* ribosomal subunit, crosslinking studies of the organization, 271
— subunits, small, of *Escherichia coli*, helical arrays produced *in vitro*, 507
Ribosome binding site location on the right end of lambda DNA, 893
— of *Escherichia coli*, the subunit interface; crosslinking of 30 S protein S9 to proteins of the 50 S subunit, 151
Ribosomes from *Bacillus subtilis* W168, hydrodynamics and *in vitro* functional properties; protein synthesis in *B. subtilis*, 611
— of *Escherichia coli*, study of the internal structure by neutron and X-ray scattering, 691
Rine, K. L. (see also Grütter, M. G.), 1029
Roberts, R. J. (see also Rosenberg, A. H.), 907
Roessner, C. (see also Chiang, T.), 893
Rosenberg, A. H., Simon, M. N., Studier, F. W. & Roberts, R. J., Survey and mapping of restriction endonuclease cleavage sites in bacteriophage T7 DNA, 907
—, — (see also Studier, F. W.), 917
RF DNA of bacteriophage ϕX174, replication *in vivo*, a study by electron microscopy, 69
Rueger, D. C., Huston, J. S., Dahl, D. & Bignami, A., Formation of 100 Å filaments from purified glial fibrillary acidic protein *in vitro*, 53
Rumball, S. V. (see also Norris, G. E.), 309

S9 protein crosslinking to proteins of the 50 S subunit; the subunit interface of the *Escherichia coli* ribosome, 151
Sakore, T. D., Reddy, B. S. & Sobell, H. M., Visualization of drug–nucleic acid interactions at atomic resolution. IV. Structure of an aminoacridine–dinucleoside monophosphate crystalline complex, 9-aminoacridine–5-iodocytidylyl(3′–5′)guanosine, 763
Sasaki, D. M., Martin, P. D., Doscher, M. S. & Tsernoglou, D., Preliminary X-ray crystallographic data for the semisynthetic non-covalent complex of residues 1 to 18 and 111 to 124 of bovine pancreatic ribonuclease, 301
Satellite DNA, different regions vary in size and sequence of the repeating unit, 483
— — sequences, closely related, detection and resolution by molecular cloning, 581
— —, 1·672 g/cm^3, sequences of *Drosophila melanogaster*, 565
— —, 1·688 g/cm^3, of *Drosophila melanogaster*, sequence and sequence variations, 465
— DNAs, four, of man, a study of sequence homologies, 127
Sax, M. (see also Wang, B.-C.), 305
Sea urchin histone genes, expression in the oocyte of *Xenopus laevis*, 709
Scheit, K. H. (see also Reddy, E. S. P.), 525
Schmid, F. X. & Baldwin, R. L., Detection of an early intermediate in the folding of ribonuclease A by protection of amide protons against exchange, 199
Schultheiss, R. (see also Mandelkow, E. M.), 293
Seeding with crystals of the chicken mitochondrial isoenzyme aids crystallization of pig mitochondrial aspartate aminotransferase, 513
Seminal plasma, bovine, yields a new pyrimidine-specific ribonuclease that is active on both single and double-stranded polyribonucleotides and that can distinguish between Mg^{2+}-containing and Mg^{2+}-depleted naturally occurring RNAs, 525
Sequence homologies in four satellite DNAs of man, 127
— and localization of the light-strand origin of replication; mechanism of mitochondrial DNA replication in mouse L-cells, 327
— — sequence variation within the 1·688 g/cm^3 satellite DNA of *Drosophila melanogaster*, 465
— variations in satellite DNA, 483
—, closely related, of satellite DNA, detection and resolution by molecular cloning, 581
— of adenovirus-2 DNA which may include signals for late messenger RNA processing, 413
— — the 1·672 g/cm^3 satellite DNA of *Drosophila melanogaster*, 565
Serdyuk, I. N. Grenader, A. K. & Zaccaï, G., Study of the internal structure of *Escherichia coli* ribosomes by neutron and X-ray scattering, 691
Sharp, P. A. (see also Manley, J. L.), 171
Sharrock, W. J., Gold, B. M. & Rabinowitz, J. C., Protein synthesis in *Bacillus subtilis*. II. Selective translation of natural mRNAs and its possible relation to the species-specific inhibition of protein synthesis by lincomycin and erythromycin, 627
—, — & Rabinowitz, J. C., Protein synthesis in *Bacillus subtilis*. I. Hydrodynamics and *in vitro* functional properties of ribosomes from *B. subtilis* W168, 611

Simon, M. N. (see also Rosenberg, A. H.), 907
—, — (see also Studier, F. W.), 917
Simpson, R. J. (see also Masakuni, M.), 313
Sitaram, N. (see also Reddy, E. S. P.), 525
Smith, S. G. (see also Aschaffenburg, R.), 1033
—, S. C. (see also Fitzgerald, P. M. D.), 753
Snyder, F. W., Jr & Chien, J. C. W., Soret circular dichroism of cobalt-substituted myoglobin and hemoglobin derivatives, 315
Sobell, H. M. (see also Jain, S. C.), 813
—, — (see also Sakore, T. D.), 763
Soll, L. (see also Eisenberg, S. P.), 111
Soret circular dichroism of cobalt-substituted myoglobin and hemoglobin derivatives, 315
Spaeren, U. (see also Waldeck, W.), 675
Spectra of purple membrane, interpretations of the effects of pH, 595
S-peptide recombination with S-protein during folding of ribonuclease S: folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
— — — — — — — — —: kinetic characterization of a stable folding intermediate shown by S-protein at pH 1·7, 245
— — — S-peptide during folding of ribonuclease S: folding pathways of the slow-folding and fast-folding classes of unfolded S-protein, 231
— — — — — — — — —: kinetic characterization of a stable folding intermediate shown by S-protein at pH 1·7, 245
Squires, Catherine (see also Wollenzien, P. L.), 291
—, Craig (see also Wollenzien, P. L.), 291
Stankiewicz, P. J. (see also Fitzgerald, P. M. D.), 753
Stellwagen, E., Proline peptide isomerization and the reactivation of denatured enzymes, 217
Stern, E. A. (see also Kalb, A. J.), 501
Strauss, B. S. (see also Tatsumi, K.), 435
Structural polarity of brain tubulin, correlation with polar activity, 293
Structure, internal, of *Escherichia coli* ribosomes, study by neutron and X-ray scattering, 691
— of α-amylase and α-mannosidase; internal dihedral symmetry, 753
— — an aminoacrudine–dinucleoside monophosphate crystalline complex, 9-aminoacridine–5-iodocytidylyl(3′–5′)guanosine, 763
— — gap junctions, 451
— — a novel protein superfamily; the "cytochrome" b_5 fold", 639
— — the RNA portion of the RNA-linked DNA pieces in bacteriophage T4-infected *Escherichia coli* cells, 841
— — transfer RNA and the effect of an *Escherichia coli* regulatory mutation, 111
— — the transition metal-binding site of concanavalin A by extended X-ray absorption fine-structure spectroscopy, 501
— — two aminoacridine–dinucleoside monophosphate crystalline complexes, proflavine–5-iodocytidylyl(3′–5′)guanosine and acridine orange–5-iodocytidylyl(3′–5′)guanosine, 787
— — two drug–dinucleoside monophosphate crystalline complexes, ellipticine–5-iodocytidylyl-(3′–5′)guanosine and 3,5,6,8-tetramethyl-*N*-methyl phenanthrolinium–5-iodocytidylyl(3′–5′) guanosine, 813
Studier, F. W., Rosenberg, A. H., Simon, M. N. & Dunn, J. J., Genetic and physical mapping in the early region of bacteriophage T7 DNA, 917
—, — (see also Rosenberg, A. H.), 907
Subunit interface of the *Escherichia coli* ribosome; crosslinking of 30 S protein S9 to proteins of the 50 S subunit, 151
Suppressor forms, three, of bacteriophage T4 leucine transfer RNA, 1013
Sutton, B. J. (see also Aschaffenburg, R.), 1033
Synthesis of RNA in isolated nuclei: identification and comparison of adenovirus 2 encoded transcripts synthesized *in vitro* and *in vivo*, 171

T4 (see also Bacteriophage), 841, 959, 979, 1013
T5 (see also Bacteriophage), 545
T7 (see also Bacteriophage), 91, 907, 917
*tab*C (*rho*) mutants; host-virus interactions in the control of T4 prereplicative transcription, 959
— — —, interaction with T4 *mot* mutants; host–virus interactions in the control of T4 prereplicative transcription, 979
Tatsumi, K. & Strauss, B. S., Accumulation of DNA growing points in caffeine-treated human lymphoblastoid cells, 435

3,5,6,8-Tetramethyl-*N*-methyl phenanthrolinium–5-iodocytidylyl(3′–5′)guanosine structure; visualization of drug–nucleic acid interactions at atomic resolution, 813
Thammana, P., Cantor, C. R., Wollenzien, P. L. & Hearst, J. E., Crosslinking studies on the organization of the 16 S ribosomal RNA within the 30 S *Escherichia coli* ribosomal subunit, 271
—, — (see also Wollenzien, P.), 255
Transcription, T4 prereplicative, host–virus interactions in its control; interaction between *tab*C (*rho*) mutants and T4 *mot* mutants, 979
—, — —, — — — — — — —; *tab*C (*rho*) mutants, 959
Transfer RNA, leucine, of bacteriophage T4, three suppressor forms, 1013
— — structure and the effect of an *Escherichia coli* regulatory mutation, 111
Transition metal-binding site of concanavalin A, study of the structure by extended X-ray absorption fine-structure spectroscopy, 501
Translation, selective, of natural mRNAs and its possible relation to the species-specific inhibition of protein synthesis by lincomycin and erythromycin; protein synthesis in *Bacillus subtilis*, 627
Traut, R. R. (see also Kenny, J. W.), 151
Tsernoglou, D. (see also Sasaki, D. M.), 301
Tubulin, brain, correlation between structural polarity and polar assembly, 293
Tyrocidine A: crystal growth and preliminary X-ray diffraction data, 757

Unwin, P. N. T. (see also Zampighi, G.), 451

Virus (see also Adenovirus), 999
— (see also Adenovirus 2), 171, 413, 733
Virus–host interactions in the control of T4 prereplicative transcription: *tab*C (*rho*) mutants, 959
— — — — — — — — — —: interaction between *tab*C (*rho*) mutants and T4 *mot* mutants, 979
Visualization of drug–nucleic acid interactions at atomic resolution: structure of an aminoacridine–dinucleoside monophosphate crystalline complex, 9-aminoacridine–5-iodocytidylyl(3′–5′) guanosine, 763
— — — — — — — — —: — — two aminoacridine–dinucleoside monophosphate crystalline complexes, proflavine–5-iodocytidylyl(3′–5′)guanosine and acridine orange–5-iodocytidylyl-(3′–5′)guanosine, 787
— — — — — — — — —: — — — drug–dinucleoside monophosphate crystalline complexes, ellipticine–5-iodocytidylyl(3′–5′)guanosine and 3,5,6,8-tetramethyl-*N*-methyl phenanthrolinium–5-iodocytidylyl(3′–5′)guanosine, 813

Waldeck, W., Spaeren, U., Mastromei, G., Eliasson, R. & Reichard, P., Replication of polyoma DNA in nuclear extracts and nucleoprotein complexes, 675
Wall, R. (see also Gilmore-Herbert, M.), 879
Wang, B.-C., Yoo, C. S., Furey, W. Jr & Sax, M., Automated interpretation of electron density maps as applied to Bence-Jones protein Rhe, 305
Wellems, T. E. & Josephs, R., Crystallization of deoxyhemoglobin S by fiber alignment and fusion, 651
Wells, R. D. (see also Panayotatos, N.), 91
White, J. G. (see also Magdoff-Fairchild, B.), 757
Wollenzien, P. L., Hearst, J. E., Squires, C. & Squires, C., Determining the polarity of the map of crosslinked interactions in *Escherichia coli* 16 S ribosomal RNA, 285
—, P., Hearst, J. E., Thammana, P. & Cantor, C. R., Base-pairing between distant regions of the *Escherichia coli* 16 S ribosomal RNA in solution, 255
—, P. L. (see also Thammana, P.), 271
Wong, G. (see also Zain, S.), 413

Xenopus laevis, expression of sea urchin histone genes in the oocyte, 709
X-ray absorption fine-structure spectroscopy study of the structure of the transition metal-binding site of concanavalin A, 501
— crystallographic data, preliminary, for the semisynthetic non-covalent complex of residues 1 to 18 and 111 to 124 of bovine pancreatic ribonuclease, 301
— diffraction data, preliminary, and crystal growth for tyrocidine A, 757
— — studies, preliminary, on the "goose-type" lysozyme from the egg-white of the black swan *Cygnus atratus*, 313
— — study demonstrating directly that the ethanol-induced transition of DNA is between the A and B forms, 1023
— and neutron scattering study of the internal structure of *Escherichia coli* ribosomes, 691

YARUS, M. (see also EISENBERG, S. P.), 111
YOO, C. S. (see also WANG, B.-C.), 305

ZACCAÏ, G. (see also SERDYUK, I. N.), 691
ZAIN, S., GINGERAS, T. R., BULLOCK, P., WONG, G. & GELINAS, R. E., Determination and analysis of adenovirus-2 DNA sequences which may include signals for late messenger RNA processing, 413
ZAMPIGHI, G. & UNWIN, P. N. T., Two forms of isolated gap junctions, 451
ZIMMERMAN, S. B. & PHEIFFER, B. H., A direct demonstration that the ethanol-induced transition of DNA is between the A and B forms: an X-ray diffraction study, 1023